

ETQ Document	SDS-00027
Rev No.	02
Last review Date	05/08/2024
Page	1 of 8

PRODUCT IDENTIFICATION Section 1.

Product Name Valve regulated lead acid (VRLA) battery

Electric storage, AGM (Absorbed Glass Mat), Lead Acid Battery-Non-Spillable, Sealed lead acid battery, Golf cart **Other Names**

battery, Automotive battery, Battery SMF, Car & truck batteries, Sealed lead-acid rechargeable battery, UPS

Battery, Non-Dangerous cargo Battery, Maintenance free battery, Motorcycle battery

Use Automotive, Industrial Standby Power and Motive Power.

Supplier Name and

Address

Century Yuasa Batteries 37-65 Cobalt St

Carole Park QLD 4300 (07) 3361 6161

Telephone **Emergency (24 Hours)**

(07) 3361 6707

Relevant identified uses

Electrical battery standby. NOTE: Hazard statement relates to battery contents. Potential for exposure should not exist unless the battery leaks, is exposed to high temperatures or is mechanically, physically or electrically abused. Use involves discharge then regenerative charging cycle from external DC power source. CHARGING HAZARD. Completion of charging process includes evolution of highly flammable and explosive hydrogen gas which is readily detonated by electric spark. No smoking or naked lights. Do not attach/detach metal clips or operate open switches during charging process because of arcing/sparking hazard. Overcharging to excess results in vigorous hydrogen evolution - boiling - which may cause generation of corrosive acid mist. Large installations i.e. battery rooms must be constructed of acid resistant materials and well ventilated. The hazard relates to direct contact with the immobilized sulfuric acid contents

Section 2. **HAZARDS IDENTIFICATION**

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule \$6 Classified as \$6:- Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Signal Word

GHS Classification

Skin Corrosion/Irritation Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 4, Carcinogenicity Category 1A, Reproductive Toxicity Category 1B, Reproductive Toxicity Effects on or via Lactation, Hazardous to the Aquatic Environment Acute Hazard Category 3

*LIMITED EVIDENCE

GHS Label Elements



Corrosive



Warning



Health Hazard

IN THE EVENT OF THE INTERNAL BATTERY COMPONENTS BEING EXPOSED

Statements

H314	Causes severe skin burns and eye damage	H362	May cause harm to breast-fed children.
H332	Harmful if Inhaled	H402	Harmful to aquatic life.
H350	May cause cancer	AUH032	Contact with acid liberates very toxic gas.
H360	May damage fertility or the unborn child		

IN THE EVENT OF EXPOSURE TO INTERNAL COMPONENTS

Precautionary Statements

Prevention			
P101	If medical advice is needed, have product container or label at hand.	P264	Wash all exposed external body areas thoroughly after handling.
P102	Keep out of reach of children	P270	Do not eat, drink or smoke when using this product
P103	Read carefully and follow all instructions.	P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	P273	Avoid release to the environment
P263	Avoid contact during pregnancy and while nursing.	P280	Wear protective gloves /protective clothing/ eye protection/ face protection
Response			
	IF SWALLOWED: Rinse mouth. Do NOT induce	P303+P361	IF ON SKIN (or hair): Take off immediately all

P301+P330	IF SWALLOWED: Rinse mouth. Do NOT induce	P303+P361	IF ON SKIN (or hair): Take off immediately all
+P331+316	vomiting. Get emergency medical help	+P353	contaminated clothing. Rinse affected area
	immediately		with water [or shower].

P305+P351 IF IN EYES: Rinse cautiously with water for +P338 several minutes. Remove contact lenses. if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.



ETQ Document	SDS-00027
Rev No.	02
Last review Date	05/08/2024
Page	2 of 8

P308+P317	IF EXPOSED OR CONCERNED: Get medical help	P316	Immediately call a POISON CENTER/ doctor/ physician/ first aider
P363	Wash contaminated clothing before reuse.		
Storage		<u>Disposal</u>	
P405	Store locked up	P501	Dispose of contents, container to authorised chemical landfill or if organic, to high temperature incineration
Recycle	Refer to section 13		

Section 3. COMPOSITION, INFORMATION ON INGREDIENTS		
Ingredient	Identification	Content % weight
Sulphuric Acid <51% (H ₂ SO ₄)	CAS 7664-93-9	23.95%
Lead (Pb) \ lead compounds	CAS 7439-92-1	69.8%
Tin (Sn)	CAS 7440-31-5	0.45%
Calcium (Ca)	CAS 7440-70-2	0.1%
Fibreglass Separator (O ₂ Si)	CAS 65997-17-3	1.1%
Case material :- ABS resin (C ₁₅ H ₁₇ N) Or	CAS 9003-56-9	
Polypropylene (CnH2n)	CAS 9003-07-0	4.6%

Section 4. FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

Eye contact

If this product comes in contact with the eyes:

- Immediately hold eyelids apart and flush the eye continuously with running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by
 occasionally lifting the upper and lower lids.
- Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- Transport to hospital or doctor without delay.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin contact

If skin contact occurs:

- Immediately flush body and clothes with large amounts of water, using safety shower if available.
- Quickly remove all contaminated clothing, including footwear.
- Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.

Inhalation

If fumes of combustion products are inhaled:

- Lay patient down. Keep warm and rested.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.
- Transport to hospital, or doctor, without delay.

Ingestion

For advice, contact a Poisons Information Centre or a doctor at once.

- Urgent hospital treatment is likely to be needed.
- If swallowed do **NOT** induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- · Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Transport to hospital or doctor without delay.

MEDICAL ATTENTION AND SPECIAL TREATMENT Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

For acute or short term repeated exposures to strong acids:

- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
- Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the desiccating action of the acid on proteins in specific tissues.

Ingestion:

• Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.



ETQ Document	SDS-00027
Rev No.	02
Last review Date	05/08/2024
Page	3 of 8

- DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful.
- Limit fluids to one or two glasses in an adult.
- Charcoal has no place in acid management.
- Some authors suggest the use of lavage within 1 hour of ingestion.

Skin:

- Skin lesions require copious saline irrigation.
- Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- Deep second-degree burns may benefit from topical silver sulphadiazine.

Eye:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cyclopaedic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

Section 5. FIRE FIGHTING MEASURES

Recommended Extinguishing Media





Foam







Water spray or fog

Dry chemical powder.

BCF\ Vaporising Liquid (Where regulations permit).



Extinguishing Media Incompatibilities

- Water may cause electrical hazard If terminals not protected. .
- Use extinguishing media suitable for surrounding area.

Specific Hazards Hazardous Decomposition

- Non-combustible.
- Not considered to be a significant fire risk.
- Acids may react with metals to produce hydrogen, a highly flammable and explosive gas.
- Heating may cause expansion or decomposition leading to violent rupture of containers.
- May emit corrosive, poisonous fumes. May emit acrid smoke.
- Decomposition may produce toxic fumes of:

carbon monoxide (CO)

carbon dioxide (CO2)

nitrogen oxides (NOx)

sulphur oxides (SOx)

metal oxides

other pyrolysis products typical of burning organic material.

Fire Incompatibility

 Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Fire Fighting, Special Protective Equipment & Precautions

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.
- Prevent, by any means available, spillage from entering drains or water course.
- Use fire fighting procedures suitable for surrounding area.
- Do not approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- · Equipment should be thoroughly decontaminated after use.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid breathing vapours and contact with skin and eyes.

Environmental Precautions

Prevent, by any means available, spillage from entering drains or water course.

Methods and materials for containment and

- With a clean shovel, transfer spilled material into clean-labelled containers for disposal.
- Wash area down with excess water.
- Do not allow water to enter containers of acid as a violent reaction may occur.
- Prevent from entering drains, sewers, streams or other bodies of water. If contamination of sewers or waterways has occurred, advise the local emergency services

Protective Equipment .

Personal Protective Equipment advice is contained in Section 8 of the SDS.

Emergency Procedures

cleaning up

Minor Spills



ETQ Document	SDS-00027
Rev No.	02
Last review Date	05/08/2024
Page	4 of 8

- Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.
- Check regularly for spills and leaks.
- · Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.

Major Spills

- · Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.
- Prevent, by any means available, spillage from entering drains or water course.

Section 7. HANDLING AND STORAGE

Safe Handling (manufacturing)

- Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions)
- · Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame.
- Establish good housekeeping practices.
- · Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.
- Use continuous suction at points of dust generation to capture and minimise the accumulation of dusts. Particular
 attention should be given to overhead and hidden horizontal surfaces to minimise the probability of a "secondary"
 explosion. According to NFPA Standard 654, (not binding in Australia) dust layers 1/32 in.(0.8 mm) thick can be
 sufficient to warrant immediate cleaning of the area.
- Do not use air hoses for cleaning.
- Minimise dry sweeping to avoid generation of dust clouds. Vacuum dust-accumulating surfaces and remove to a chemical disposal area.
- · Vacuums with explosion-proof motors should be used.
- Control sources of static electricity. Dusts or their packages may accumulate static charges, and static discharge can be a source of ignition.
- Solids handling systems must be designed in accordance with applicable standards (e.g. NFPA including 654 and 77) and other national
- guidance.
- Do not empty directly into flammable solvents or in the presence of flammable vapors.
- The operator, the packaging container and all equipment must be grounded with electrical bonding and grounding systems. Plastic bags
- and plastics cannot be grounded, and antistatic bags do not completely protect against development of static charges.
- Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the
- presence of an appropriate ignition source.
- Do NOT cut, drill, grind or weld such containers.
- In addition ensure such activity is not performed near full, partially empty or empty containers without appropriate workplace safety authorisation or permit.
- Protect from accidental short-circuit.

Conditions for Safe Storage Includes Incompatible

- Avoid contact with moisture.
- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- No smoking, naked lights, heat or ignition sources.

Battery contents

Suitable container for DO NOT use aluminium or galvanised containers

- Check regularly for spills and leaks
- Lined metal can, lined metal pail/ can.
- Plastic pail.
- Polyliner drum.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

For low viscosity materials

- Drums and jerricans must be of the non-removable head type.
- Where a can is to be used as an inner package, the can must have a screwed enclosure.
- For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.):
- Removable head packaging;
- Cans with friction closures and
- low pressure tubes and cartridges
- may be used.
- Where combination packages are used, and the inner packages are of glass, porcelain or stoneware, there must be Sufficient inert
 cushioning material in contact with inner and outer packages unless the outer packaging is a close fitting moulded plastic box and
 the substances are not incompatible with the plastic.

Storage incompatibility contents of battery

Normally packed with inert cushioning material.



ETQ Document	SDS-00027
Rev No.	02
Last review Date	05/08/2024
Page	5 of 8

√ = May be stored together

= May be stored together with specific preventions

X = Must not be stored together















FLAMMABLES

EXPLOSIVES

ACUTE TOXIC

OXIDISERS

HARMFUL

IRRITANT

CORROSIVE

Section 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

AUSTRALIAN EXPOSURE STANDARDS (Occupational Exposure Limits)

Ingredient Material name TWA STEL

Sulphuric Acid (H_2SO_4) Sulphuric acid 1 mg/m3 3 mg/m3 Lead $(Pb) \setminus Lead \text{ compounds}$ Lead, inorganic dusts & fumes (as Pb) 0.05 mg/m3 Not Available Tin (Sn) Tin 2 mg/m3 Not Available Calcium (Ca) Calcium

Fibreglass Separator (O2Si)

or

Polypropylene (CnH2n) Polypropylene

APPROPRIATE ENGINEERING CONTROLS

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

- Process controls which involve changing the way a job activity or process is done to reduce the risk.
- Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

PERSONAL PROTECTION



Respirator Type

Not normally required; however if in contact with internal components:-

 Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	E-AUS P2	-	E-PAPR-AUS / Class 1 P2
up to 50 x ES	-	E-AUS / Class 1 P2	-
up to 100 x ES	-	E-2 P2	E-PAPR-2 P2 ^



E = Sulfur dioxide(SO2),



Eve Protection

- Safety glasses with side shields.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.



Clothing

Overalls.



Footwea

Wear safety footwear or safety gumboots



Glove Type

 Wear Elbow length chemical protective gloves, e.g. PVC.



Other Protection

- PVC protective suit may be required if exposure severe.
- Eyewash unit

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Coloured solid with no odour; insoluble in water.

Odour No Odour Lower explosive limits Not Applicable Odour threshold Not Available Vapour pressure (kPa) Not Available Not Applicable Vapour density (Air = 1) Not Applicable Relative density (Water = 1) Melting point/ freezing point (°C) Not Applicable Not Available Initial boiling point and boiling Solubility in water (g,L) Immiscible Not Applicable range (°C)



ETQ Document	SDS-00027
Rev No.	02
Last review Date	05/08/2024
Page	6 of 8

Flash point Not Applicable Partition coefficient: n-Not Available

octanol/water

Evaporation rate Not Applicable Auto-ignition temperature Not Applicable Flammability Not Applicable Decomposition temperature (°C) Not Available Not Applicable Viscosity Not Available **Upper explosive limits**

Section 10. STABILITY AND REACTIVITY

Reactivity **Chemical stability** Contact with alkaline material liberates heat See section 7

> Contact with alkaline material liberates heat

Product is considered stable under normal

handling conditions.

Stable under normal storage conditions.

Hazardous polymerization will not occur.

Possibility of hazardous See section 7

reactions

Ingestion

Skin contact

Eye

Conditions to avoid

See section 7

Incompatible materials Hazardous decomposition See section 7 See section 5

products

TOXICOLOGICAL INFORMATION Section 11.

Inhaled Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may produce toxic effects.

Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane

damage. There may be dizziness, headache, nausea and weakness.

Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.

Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus.

Immediate pain and difficulties in swallowing and speaking may also be evident.

Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue.

Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

If applied to the eyes, this material causes severe eye damage.

Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns. Mild burns of the epithelia generally recover rapidly and completely

Immediate effects

Chronic effects

- Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining. Irritation of airways to lung, with cough, and inflammation of lung tissue often occurs.
- Substance accumulation, in the human body, is likely and may cause some concern following repeated or longterm occupational exposure.
- Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

Sulphuric Acid:

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyper reactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. Occupational exposures to strong inorganic acid mists of sulphuric acid:

Lead:

WARNING: Lead is a cumulative poison and has the potential to cause abortion and intellectual impairment to unborn children of pregnant workers.

		Skin Irritation/	Serious Eye Damage/	Respiratory or Skin		Carcin ogenic		STOT - Single	STOT - Repeated	Aspiration
	Acute Toxicity	Corrosion	Irritation	sensitisation	Mutagenicity	ity	Reproductivity	Exposure	Exposure	Hazard
Ī	✓	✓	✓	(•	✓	✓	✓	✓	1

✓ = Data required to make classification available 😕 Data available but does not fill the criteria for classification 1 = Data Not Available to make classification

Section 12. **ECOLOGICAL INFORMATION**

Ecotoxicity

Potential

- Prevent, by any means available, spillage from entering drains or water courses.
- DO NOT discharge into sewer or waterways.

Degradability **Bio-accumulative** No Data available for all ingredients

No Data available for all ingredients



ETQ Document	SDS-00027		
Rev No.	02		
Last review Date	05/08/2024		
Page	7 of 8		

Mobility in Soil

No Data available for all ingredients

Other Adverse Effects

• No Data available for all ingredients

Section 13. DISPOSAL CONSIDERATIONS

Safe Handling & Disposal •

Dispose in accordance with federal, state or local regulations.

Disposal of Contaminated • Packaging

Recycle wherever possible.

- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Treat and neutralise at an approved treatment plant. Treatment should involve: Mixing or slurrying in water; Neutralisation followed by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material)
- Decontaminate empty containers.

Environmental Regulations

Refer to section 15

Section 14. TRANSPORT INFORMATION

REGULATED FOR TRANSPORT OF DANGEROUS GOODS ADG

UN Number 2800

Proper Shipping Name BATTERIES, WET, NON-SPILLABLE, electric storage

Transport Hazard Class Class: 8 Sub risk: Not Applicable

Packing group Not Applicable
Environmental Hazards No relevant data

Special Precautions Special provisions 238

Limited quantity 1 L

Additional Information Marine Pollutant: = NO

Hazchem Code 2R

Other Information The Australian Dangerous Goods Code (7th Edition) Special Provision 238 allows Century Yuasa Batteries Pty. Ltd.

to transport non-spillable batteries as sold by the company by road and rail as non-dangerous goods. In addition, these batteries are certified as complying with UN2800 Special Provision A67 of the International Air Transport Association (IATA) Dangerous Goods Regulations. Refer to Century Yuasa Batteries office for further information.



Section 15. REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS, LEGISLATION

Sulphuric Acid Is found on the following regulatory Lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals, Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6, Australian Inventory of Industrial Chemicals (AIIC) Chemical Footprint Project - Chemicals of High Concern List, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans

Is found on the following regulatory Lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals, Australian Inventory of Industrial Chemicals (AIIC), Chemical Footprint Project - Chemicals of High Concern List, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans, International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

styrene/ butadiene/ acrylonitrile copolymer is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC), International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic, International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

<u>Tin</u> is found on the following regulatory lists <u>Calcium</u> is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC), International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

atory lists Australian Inventory of Industrial Chemicals (AIIC)

Section 16. OTHER RELEVANT INFORMATION

Revision Information

Revision N°	Date	Description
ETQ 01	28/06/24	New document
02	05/08/24	Updated to GHS10e



ETQ Document	SDS-00027		
Rev No.	02		
Last review Date	05/08/2024		
Page	8 of 8		

Abbreviations

AICS Australia Inventory of Chemical Substances

APVMA Australian Pesticides and Veterinary Medicines Authority

AQIS Australian Quarantine and Inspection Service

CAS # Chemical Abstract Service Number – used to uniquely identify chemical compounds

IARC International Agency for Research on Cancer

LC50 Lethal Concentration- toxicity of the surrounding medium that will kill half of the sample population of a specific

test-animal in a specified period through exposure via inhalation (respiration)

SDS Safety Data Sheet- (SDS), previously called a Material Safety Data Sheet (SDS),